

WHAT IS CLAIMED IS:

1. A printer formatter comprising:
a processing system;
a system input / output (I/O) coupled to the processing system;
a formatter control; and
a print server; and
wherein the processing system is configured to perform a first function associated with the system I/O, wherein the processing system is configured to perform a second function associated with the print server, and wherein the processing system is configured to perform a third function associated with the formatter control.
2. The printer formatter of claim 1 wherein the first function comprises receiving a print job, wherein the second function comprises adding the print job to a queue, and wherein the third function comprises processing the print job.
3. The printer formatter of claim 2 wherein processing system is configured to cause the print job to be converted from a first format to a second format in response to processing the print job.
4. The printer formatter of claim 3 wherein the processing system is configured to provide the print job in the second format to a print engine.
5. The printer formatter of claim 1 wherein the second function comprises generating status information associated with a print job, and wherein the first function comprises providing the status information to a computer system.
6. The printer formatter of claim 1 wherein the first function comprises receiving a cancel request from a computer system, and wherein the second function comprises removing a print job associated with the cancel request from a queue.

7. The printer formatter of claim 1 wherein the system I/O is configured to communicate with a plurality of interfaces.
8. A printer comprising:
 - a formatter that includes a processing system, formatter control, a print server, and a system input / output (I/O);
 - a print engine coupled to the formatter; and
 - a print mechanism coupled to the print engine;wherein the formatter is configured to perform a first function associated with the system I/O, wherein the formatter is configured to perform a second function associated with the print server, and wherein the formatter is configured to perform a third function associated with the formatter control.
9. The printer of claim 8 wherein the first function comprises receiving a print job, wherein the second function comprises adding the print job to a queue, and wherein the third function comprises processing the print job.
10. The printer of claim 8 wherein the print mechanism comprises a laser print mechanism.
11. The printer of claim 8 wherein the print mechanism comprises an inkjet print mechanism.
12. The printer of claim 8 further comprising:
 - an interface configured to communicate with a network device.
13. The printer of claim 12 wherein the interface comprises a 10/100 interface.

14. The printer of claim 12 wherein the interface comprises a Universal Serial Bus (USB) interface.
15. The printer of claim 12 wherein the interface comprises a parallel interface.
16. A method performed by a printer formatter that comprises a system I/O, a formatter control, and a print server comprising:
 - performing a first function associated with the system I/O;
 - performing a second function associated with the print server, and
 - performing a third function associated with the formatter control.
17. The method of claim 16 further comprising:
 - performing the first function by receiving a print job;
 - performing the second function by adding the print job to a queue; and
 - performing the third function by processing the print job.
18. The method of claim 16 further comprising:
 - performing the second function by generating status information associated with a print job; and
 - performing the first function by providing the status information to a computer system.
19. The method of claim 16 further comprising:
 - performing the second function by executing one or more instructions associated with the second function.
20. The method of claim 16 further comprising:
 - performing the third function by providing a print job to a print engine.